



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

ustirpatis, levamen percepit. Laborat autem ista obstructione mensium, quæ mali huius fons atque origo esse videtur.

Wittenbergæ D. 1 August.

A. D. MDCCXXXV.

X. Experiments concerning the Vibrations of Pendulums. By the late W. Derham, D. D. F. R. S. and Canon of Windsor.

THE Account which Mr. *Bradley* hath given in *Philosoph. Transact.* N^o 432, of Observations made at *Jamaica* by Mr. *Campbel*, with a nice *Pendulum-Clock* of Mr. *Graham's* making, brought to my Mind some Experiments I made some Years ago, that may be of Use in Observations of this nature.

The first that I shall take notice of, shall be some Experiments I made in the Year 1704, with excellent Instruments, concerning the *Vibrations of Pendulums in Vacuo*; which were published in the *Philosoph. Transact.* N^o 294. The Sum of which is, That the Vibrations in *Vacuo* were larger than in the *open Air*, or Receiver unexhausted: Also that the Enlargement or Diminution of the Vibrations, was constantly in Proportion to the Quantity of Air, or Rarity, or Density thereof, which was left in the Receiver of the Air-Pump. And as the Vibrations were larger or shorter, so the Times were augmented, or diminished accordingly; *viz.*
two

two Seconds in an Hour slower, when the Vibrations were largest, and less and less, as the Air was re-admitted, and the Vibrations shortened.

But notwithstanding the Times were slower, as the Vibrations were larger, yet I had Reason to conclude, that the Pendulum really moved quicker in *Vacuo*, than in the *Air*, because the same Difference, or Enlargement of the Vibrations (as two Tenths of an Inch on a Side) would cause the Movement, instead of two Seconds in an Hour, to go 6 or 7 Seconds slower in the same time ; as I found by nice Experiments.

The next Experiments I shall mention, I made at several Times, in 1705, 1706, and 1712, by the Help of a good Month-Piece that swings Seconds. The Weight that then drove it, was about 12 or 13 Pounds, and it kept Time exactly by the Sun's mean Motion : But by hanging on 6 Pounds more, the Vibrations were enlarged ; but yet the Clock gained 13 or 14 Seconds in a Day.

And as the Increase or Diminution of the Power that drives the Clock, doth accelerate or retard its Motion, so, no doubt, doth *Cleanness* or *Foulness* affect it, and so doth *Heat* and *Cold* ; for all have the same Effect upon the Pallets and Pendulum.

The last Experiments I shall mention, I made in 1716 and 1718, to try what Effects *Heat* and *Cold* had upon *Iron Rods* of the same Length, or as near as I could to those that swing Seconds. I made my Experiments with round Rods of about a Quarter of an Inch Diameter, and with square Rods, of about three Quarters of an Inch Square. The Effects on both which were the same.

At first I took the exact Length of the Rods, in their natural Temper. Then I heated them as well as I could in a Smith's Fire, from End to End, nearly to a *Flaming Heat* ; by which means, they were lengthened two Tenths of an Inch. Then I *quenched* them in cold Water ; which made them $\frac{2}{100}$ of an Inch shorter than in their natural State.

Then I warmed them to (as near as I could guess) the *Temper* of my Body ; by which means they were about $\frac{1}{100}$ of an Inch longer than in their natural Temper.

Afterwards I cooled them in a *strong frigorifick Mixture* of common Salt and Snow, which shortened them $\frac{3}{100}$ Parts of an Inch.

Afterwards I measured these Rods, when heated in an *hot Sun*, which lengthened them $\frac{2}{100}$ Parts of an Inch more than their natural Temper.

All these Experiments seem to concur in resolving the Phænomenon of *Pendulum Clocks going slower under the Æquator* than in the Latitudes from it : But yet I confess, that I have too good an Opinion of Sir *Isaac Newton's* Notion of the Sphæroidal *Figure* of the *Earth*, to part easily with it ; and therefore I leave it to the Consideration of others, how far the Figure of the Earth, and how far Heat and Cold, and the Rarity and Density of the Air, are concerned in that Phænomenon.